




CONNECT AND PROTECT

Temperature sensor with M16 gland

PRODUCT OVERVIEW



nVent RAYCHEM MONI-PT100-260/2 temperature sensor is designed for providing accurate temperature measurements.

The MONI-PT100-260/2 sensor exhibits excellent mechanical, electrical and thermal properties what makes the sensor extremely useful for a broad range of applications. The sensor can be connected to the control device using 3-wire technology for providing highest accuracy and measuring stability.

AREA OF USE

Non hazardous area

C	N	C	\mathbf{a}	D

Туре	Pt 100 (3 wire) DIN IEC 751, Class B
Jacket/Sheath Material	Extension cable PTFE (Fluoropolymer) Measuring tip stainless steel (316 Ti)
Cable construction	Braided
Measuring range	−50°C to 260°C
Maximum exposure temp. tip	400°C
Length	Total sensor length 2 m (other lengths are available on request) Length of the measuring tip ca 50 mm
Nominal Diameter (OD)	Diameter of the sensor cable 4.8 mm
	Diameter of the tip 6 mm.
Conductors	$4 \times 0.5 \text{mm}^2$ (Red, Red, White and braid) PTFE insulated
Minimum bending radius	Sensor cable minimum 20 mm, the measuring tip should not be bent

CABLE GLAND

II 2GD EEx e II PTB 05 ATEX 1068 X	
M16 (Black)	
Polyamide (PA) Halogen-free	
-40°C to +75°C	
Suitable for cables from 4 to 9 mm diameter	
	PTB 05 ATEX 1068 X M16 (Black) Polyamide (PA) Halogen-free -40°C to +75°C

ORDERING DETAILS

Part number 1244-006615	PERING DETAILS			
12110001	number	1244-006615		

North America

Tel +1.800.545.6258 Fax +1.800.527.5703 thermal.info@nVent.com

Europe, Middle East, Africa

Tel +32.16.213.502 Fax +32.16.213.604 thermal.info@nVent.com

Asia Pacific

Tel +86.21.2412.1688 Fax +86.21.5426.3167 cn.thermal.info@nVent.com

Latin America

Tel +1.713.868.4800 Fax +1.713.868.2333 thermal.info@nVent.com



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER